WATC	HMAN: CTION FROM:		TO:	<u> </u>	_	DATE	PAGE:		3
CHAIN	MARKER FROM: EXCEPTION CHAI	MARKER NUMBER	TO: 2	35 1	SWITCH		N: 2	WO# STATUS	1
NO.	FROM	то	NO. EAV	1	NUMBER		DEFECT	SYR	Y/N
14									
	4								
	¥								
7									
		A-1							
ITEM			COMMEN	TS					
		Νυ	NEW	DΕ	recrs				
	ITCHES IN AREA				S /		o		
		ING MECHANISM &		ONNECTI	NG ROD TYP	E SWITC	HES		
		ALL OF ITS POSIT			<u> </u>	N	0		
		RED ONCE IN EVER	RYTHRE	EMONTH	PERIOD.		/		
	PECIAL INSPECT			YE	s	NO			
Week	or special insp	R	<u>f</u>	US	oft		>		-: :::::::::::::::::::::::::::::::::::
TAUR INST	PECTORS SIGNA	UKE	SU	PERVISO	RY/CERTIFIC	CATION	DA	TE/-2	13

DAILY TRACK INSPECTION REPORTING FORM INSPECTORS: W Greenwood W Bryant DATE: 01/02/2013 INSPECTION FROM: Linthicum TO: Cromwell - BWI PAGE: 1011 TO: 4.885 CHAIN MARKER FROM: 355 S SECTION: 5 WON 916 [] EXCEPTION CHAIN MARKER NUMBER TRK RAIL SWITCH CODES STATUS REPAIR COMP. DEFECT. SAYIR FROM NO. NO. EW NUMBER ITEM no new inated In orea. WERE SWITCHES IN AREA INSPECTED? YES L NO _ WERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES INSIDE AREA OPERATED TO ALL OF ITS POSITIONS? YES THIS OPERATION IS REQUIRED ONCE IN EVERY THREE MONTH PERIOD. IS THIS A SPECIAL INSPECTION? REASON FOR SPECIAL INSPECTION:

SUPERVISORY CERTIFICATION

TRACK INSPECTORS SIGNATURE

INSPEC	HMAN: M PO	Hard	<u> </u>	Brya	nt	DATE:	011	0318	2013
INSPEC	TION FROM: CV	omwell Yan	то:				PAGE:	104	<u>(</u>
CHAIN	MARKER FROM:		TO:			SECTIO	N: 5	WO# C	7/6/13
ITEM		MARKER NUMBER	TRK	RAIL	SWITCH	CODES		STATUS	REPAIL
NO.	FROM	TO	NO.	EW	NUMBER	COMP.	DEFECT	SYYR	Y/N
						-			<u> </u>
1-1									
H++									
1:1									
STEM .			COMMER	me					
	10 inew d	efects no			ICEC!				
		12013 110	100	Cr G	veg.				
WERE SWI	TCHES IN AREA	NSPECTED?		YE	8 <u>/</u>	N	o		
WERE ALL	SINGLE OPERATI	NG MECHANISM 8	ONE C	ONNECTIN	NG ROD TYP	E SWITC	HES		
		ALL OF ITS POSIT			S		0		
THIS OPER	ATION IS REQUIR	ED ONCE IN EVER	RY THRE				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
S THIS A SI	PECIAL INSPECTI	ON?		YE	s	NO		_	
EASON FO	OR SPECIAL INSPI	ECTION:							
Vood	ww Gr	een wel		U. Bo	ryk.	>			
RACK INSP	ECTORS SIGNAT	URE	st	JPERVISO	RY CERTIFIC	CATION	DA	TE /	2-13

	ATCHMAN: M ALCHIN						DATE: _/ 1 2			
		-DEN	TO: LIN	THICUM			PAGE:	10/21		
CHAIN	MARKER FROM:	165E	TO: 35	Se		SECTIO	N:4	WON 9	1610	
ITEM		MARKER NUMBER	TRK	RAIL	SWITCH	CO	DE8	STATUS	REP	
NO.	FROM	TO	NO.	EW	NUMBER	COMP.	DEFECT	8/Y/R	_Y/	
H				\vdash		_				
┝╩╅						-			-	
\vdash										
-										
-				-	*					
ITEM	, , =		COMMEN	18						
	VO NEW DEFEC	TS NOTED IN AREA	4							
_										
_		Application of the Application Co.	-	THE PERSON NAMED IN						

_										
VERE SW	TCHES IN AREA	INSPECTED?	· · · · · · ·	YF			0	···		
	-	ING MECHANISM &	ONE CO							
		ALL OF ITS POSIT			s					
		RED ONCE IN EVER				140	0 <u>X</u>			
	PECIAL INSPECT				\$	\$1 4	3 V			
	OR SPECIAL INSP			1 5		N	D_X_			
	601		11	11/	2		Table Val		-	
	Jehl		f4	100	The _	\geq				
ACK INSP	PECTORS SIGNA	TURE	SU	PERVISÓ	RY CERTIFI	CATION	DA	TE/-2	-/3	

		ALCHIN	TO		na ane		: <u>/ /</u>		
INSPE	CTION PROM: H	UNT VALLEY	10:	THERY	<u>ILLE</u>		PAGE:	1081	_
CHAIN	MARKER FROM:	905 ^{NE}	TO : 5	85 NE		SECTIO	ON: 1	WOW	9
ITEM	EXCEPTION CHA	IN MARKER NUMBER	TRK RAIL		SWITCH	CODES		STATUS	
NO.	FROM	TO	NO.	EW	NUMBER	COMP	DEFECT	SYIR	4
	834 +00 NE		0	BOTH		INZOI	332	ٻ	
2									
									Î
									r
									ŀ
-					-	-			ŀ
-++									Ļ
									F
-	,				es de coppere el	L			L
ITEM			COMMEN	ma					
1	FUMBING & TH	ES, SOUTH END	OF X-	ING ADA	PROACH, P.	IND/NO	74."		
	FUMPING & TH	ES, SOUTH END	of X-	IAIG ADV	PROACH, P	1841DING	₹4."		
	FUM DING S TH	ES, SOUTH END	08 X-	ING A DIA	PROACH, P	16(12)(0)	₹4."		
	FUMDING & TH	ES, SOUTH END	of X-	IAIG ADI	PROACH, P	10/10/06	74."		
VERE SV	VITCHES IN AREA	INSPECTED?		YE	ES _ X		10		
VERE SW	VITCHES IN AREA L SINGLE OPERA	INSPECTED?	S ONE CO	YE	ES _ X		10		
VERE SW	VITCHES IN AREA L SINGLE OPERA	INSPECTED?	S ONE CO	YE	ES _ X	PE SWITC	10		
VERE SV VERE ALI	VITCHES IN AREA L SINGLE OPERA REA OPERATED T	INSPECTED?	LONE CO	YE ONNECTII YE	ES _ X NG ROD TY	PE SWITC	IO		
VERE SV VERE ALI VISIDE AR	VITCHES IN AREA L SINGLE OPERA REA OPERATED T	INSPECTED? TING MECHANISM & O ALL OF ITS POSI RED ONCE IN EVER	LONE CO	YE DNNECTII YE E MONTH	ES _ X NG ROD TY	PE SWITC	IO		
VERE SV VERE ALI ISIDE AR HIS OPEI THIS A S	VITCHES IN AREA L SINGLE OPERA REA OPERATED T RATION IS REQUI	INSPECTED? TING MECHANISM & O ALL OF ITS POSIT RED ONCE IN EVER	LONE CO	YE DNNECTII YE E MONTH	ESX NG ROD TY ES I PERIOD.	PE SWITC	IO CHES		
VERE SV VERE ALI ISIDE AR HIS OPEI THIS A S	VITCHES IN AREA L SINGLE OPERA REA OPERATED T RATION IS REQUI SPECIAL INSPECT	INSPECTED? TING MECHANISM & O ALL OF ITS POSIT RED ONCE IN EVER	LONE CO	YE DNNECTII YE E MONTH	ESX NG ROD TY ES I PERIOD.	PE SWITC	IO CHES		

DAILY TRACK INSPECTION REPORTING FORM INSPECTORS: (1) Greenwood W Bryant DATE: 01/03/2013 WATCHMAN: M Pollard TO: Coldspring INSPECTION FROM: LUther VIII PAGE: 10+1 TO: 235 N CHAIN MARKER FROM: 586 N SECTION: 2 WON 9150 EXCEPTION CHAIN MARKER NUMBER ITEM RAIL SWITCH TRK CODES STATUS REPAIL EM COMP. DEFECT. NO. FROM NUMBER 8/Y/R Y/N ITEM COMMENTS No new defects noted In area WERE SWITCHES IN AREA INSPECTED? YES L WERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES INSIDE AREA OPERATED TO ALL OF ITS POSITIONS? YES THIS OPERATION IS REQUIRED ONCE IN EVERY THREE MONTH PERIOD. IS THIS A SPECIAL INSPECTION? YES REASON FOR SPECIAL INSPECTION:

12/27/2010

SUPERVISORY CERTIFICATION

Woodway Guennoud

TRACK INSPECTORS SIGNATURE

INSPE	HMAN: M Po	Sreenwa	W C			DATE:	011	0415	5013		
INSPE	CTION FROM:	nthicum	TO:	and.	en Yar	rds	PAGE:	104			
CHAIN	MARKER FROM:	355 S	TO:	165		SECTIO	N:	WO#			
ITEM		MARKER NUMBER	TRK	RAIL	SWITCH	СО	DES	STATUS	REPAIR		
NO.	FROM TO NO. E/W NUMBER COMP. DEFECT, S/Y/R Y										
2											
3											
5	11 e										
-									7		
7											
8	,										
ITEM	0.0 1		COMMEN								
\vdash	MO. New	defects	not	red	in an	ea,		-			
\vdash	К										
-				,			-				
							-				
		···									
-											
WERE SI	WITCHES IN AREA	INSPECTED?		Y	ES/	N	10				
	2	TING MECHANISM	LONE C								
		O ALL OF ITS POSI									
					ES	N	0_6				
		RED ONCE IN EVE	RYTHRE	EMONTH	H PERIOD.			*			
5 THIS A	SPECIAL INSPECT	ION?		YE	S	N	0_ <u>L</u>				
REASON	FOR SPECIAL INSF	PECTION:		11.	/ /						
Noeth	- Low G	remeroe	1 1	1/. B	sust		>				
RACK IN	SPECTORS SIGNA	TURE	/ su	JPERVISO	ORY CERTIFI	CATION	D	ATE /	7-13		

WATC	CTORS: Mi	_			DATE:		4 11	<u> </u>	
	CTION FROM:	TO:	4/	Penni	PAGE:/				
	MARKER FROM:		TO: 1	6.5		SECTIO	M: 3	WON 9	080
NO.	EXCEPTION CHAI	N MARKER NUMBER	TRK NO.	RAIL	SWITCH	CODES		STATUS	REP
4		V							
-									
7		*		-					
•									*
PTEM			COMMEN	re					
-	* *								
	•	No V	Jew	DE7-	ピンプン				
								~	
			Δ						
-									
ERE SWI	TCHES IN AREA II	NSPECTEDA				<u></u>			
		NG MECHANISM &	ONE CO		8_1/)		
		ALL OF ITS POSIT			14 KOD 146 3		HES		
		ED ONCE IN EVER				140	<u>K</u>		
	PECIAL INSPECTION					NO			
ASON FO Mish o	R SPECIAL INSPE	ECTION:		Boys					-
ACK INSPI	ECTORS SIGNAT	URE	sup	ERVISOF	RY CERTIFIC	ATION	DA1	E/-7	7-/3

TO: CROMITED PAGE: LORI CHAIN MARKER FROM: 355 TO: 4963-1205001 SECTION: S WOUSER TREM EXCEPTION CHAIN MARKER NUMBER TREE TREE SWITCH COMP. DEFECT. BYR. 1		CTORS:	-			DATE:		5 /13	3	
TITEM EXCEPTION CHAIN MARKER NUMBER TRK NO. EAN NUMBER COMP. DEFECT. SYATUS REPORT OF DEFECT OF DEFECT. SYATUS REPORT OF DEFECT OF DEFEC	A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1	PARTICIPAL TO A TO		TO:CR	OHWELL	+ BWI		PAGE:	lorl	-
TITEM EXCEPTION CHAIN MARKER NUMBER TRK RAL SWITCH CODES STATUS RE COMP. DEFECT. 1	CHAIN	MARKER FROM:	355°	TO : 49	8-120 B	w I	SECTIO	M: S	WO# &	月22
COMMENTS COMMEN	1	170,000		1	1	1	CODES		STATUS	REP
THEM COMMENTS I SW **IIS BWI, POINTS FLORT UP AND DOWN 12" WHEN STEPPING ON FRONT ROLL ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? YES NO IIS OPERATION IS REQUIRED ONCE IN EVERY THREE MONTH PERIOD. THIS A SPECIAL INSPECTION? YES NO ASON FOR SPECIAL INSPECTION: ASON FOR SPECIAL INSPECTION: ASON FOR SPECIAL INSPECTION:		rnoa					5304			1
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.	1									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.										
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.	4									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.	6									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.	•									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. J.L.L. J.L.L. M.J. WHEN STEPPING ON FRONT RO. 12" WHEN STEPPING ON FRONT RO. 12" WHEN STEPPING ON FRONT RO. 12" WHEN STEPPING ON FRONT RO. 14" WHEN STEPPING ON FRONT RO. 15" WHEN STEPPING ON FRONT RO. 16" WHEN STEPPING ON	7									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. ASON FOR SPECIAL INSPECTION: J.L.L. M.B.W.L. M.	•									
ERE SWITCHES IN AREA INSPECTED? ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? YES									-	
ERE ALL SINGLE OPERATING MECHANISM & ONE CONNECTING ROD TYPE SWITCHES SIDE AREA OPERATED TO ALL OF ITS POSITIONS? YES										
SIDE AREA OPERATED TO ALL OF ITS POSITIONS? VES NO IIS OPERATION IS REQUIRED ONCE IN EVERY THREE MONTH PERIOD. THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: Jel		V		L ONE CO						
THIS A SPECIAL INSPECTION? ASON FOR SPECIAL INSPECTION: Jel L Manner Manne										
ASON FOR SPECIAL INSPECTION: Schola Monthson	IIS OPEF	RATION IS REQUIR	RED ONCE IN EVER	RY THRE	E MONTH	PERIOD.		-4		
Sell Moyk	THIS A S	PECIAL INSPECT	ION?		YE	:s	N	0_*		
ACK INSPECTORS SIGNATURE SUPERVISORY CERTIFICATION DATE 1-7-1	ASON F	or special insp	PECTION:		. //					_
ACK INSPECTORS SIGNATURE SUPERVISORY CERTIFICATION DATE 1-7-1	Se	ill		N	Koy	to				
	ACK INS	PECTORS SIGNA	TURE	SL	PERVISO	RY CERTIFI	CATION	DA	TE / - /	7-1